

SAFETY DATA SHEET

EUROCOL B.V.

According to EC Commission Directive 91/155/EEC and ISO 11014-1

Date: 17 April 2002

Modification: 1

Page 1/3

1. PRODUCT AND COMPANY IDENTIFICATION.

PRODUCT NAME: Conductive Primer

PRODUCT CODE: 041 SC

Manufacturer/supplier: Eurocol B.V.

Address: Industrieweg 1-2

City: 1521 NA Wormerveer HOLLAND

Telephone: 075-6271600 **Telefax:** 075-6283564

2. COMPOSITION/INFORMATION ON INGREDIENTS.

Composition: Primer on basis of polychloroprene rubber with resins and conductive carbon in water.

Dangerous materials:

Name:	CASnr:	Content:	Symbol:	R-sentences:	TLV:

Additional information: -

3. HAZARDS IDENTIFICATION:

No health danger.

Environment: Contamination of surface water.

4. FIRST AID MEASURES

Eyes: Flush with plenty of water.

Skin: Wash with water and soap.

Inhalation: N.A.

Ingestion: Flush mouth with water; consult a physician.

Notes to a physician: -

5. FIRE-FIGHTING MEASURES:

Suitable fire-fighting media: Water, foam, CO2, powder.

Specific hazards: In fire development of hydrochloric acid.

6. ACCIDENTAL RELEASE MEASURES.

Absorb in absorption material as sand, sawdust, ect.

Collect in suitable container.

SAFETY DATA SHEET

EUROCOL B.V.

According to EC Commission Directive 91/155/EEC and ISO 11014-1

Date: 17 April 2002

Modification: 1

Product: Conductive Primer 041 SC

Page 2/3

7. HANDLING AND STORAGE.

7.1 Handling: No special requirements.

7.2 Storage: Store in a cool place; frostfree.
Further information: -

8. EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Engineering measures: None

8.2 Personal protective equipment: -

Respiratory protection: N.A.

Hand protection: Gloves

Eye protection: Safety spectacles

Skin and body protection: N.A.

9. PHYSICAL AND CHEMICAL PROPERTIES.

Form: Liquid	Color: Black	Odor: Weak
Boiling point:	100 ⁰ C (water)	
pH:	Ca. 8,5	
Flashpoint:	N.A.	
Auto-ignition temperature:	N.A.	
Explosion properties:	N.A.	
Explosion limits:	lower limits: -	upper limits: -
Vapor pressure:	23 mBar (water)	
Vapor density:	N.A.	
Specific gravity:	Ca. 1,0 g/cm ³	
Solubility in water:	Fully soluble	
Solvent content:	N.A.	
Further information:	HCL when heating dry substance.	

10. STABILITY AND REACTIVITY.

Product is stable. No dangerous reaction procedure.

SAFETY DATA SHEET

EUROCOL B.V.

According to EC Commission Directive 91/155/EEC and ISO 11014-1

Date: 17 April 2002

Modification: 1

Product: Conductive Primer 041 SC

Page 3/3

11. TOXICOLOGICAL INFORMATION.

Eyes: Irritation.

Skin: May be irritation.

12. ECOLOGICAL INFORMATION.

Do not flush into drain systems.

13. DISPOSAL CONSIDERATIONS.

In accordance with local or state regulations.

14. TRANSPORT INFORMATION.

ADR/RID

ADNR/ADN

IMDG IATA/ICAO

Un-number:

Hazard number:

Hazard class:

Pack Group:

Hazard card:

Product Name:

Further information: This product is not considered as dangerous goods and is not submitted to transport regulations.

15. REGULATORY INFORMATION.

No special information obliged.

16. FURTHER INFORMATION.

Recommended use: Primer for conductive adhesives.

Safety Data Sheet made by: ing. T.W. Breeuwer

First Version: 7 September 1994

The information in this Safety Data Sheet is based upon the present knowledge and experience. The actual facts do not give any information about the qualities and properties of the product.