

MATERIAL SAFETY DATA SHEET

RIB RUBBER MATTING/BLACK

SECTION 1 HARZARDOUS INGREDIENTS OF MATERIAL

CHEMICAL IDENTITY	CONCENTRATION	CAS/NA/UN
STYRENE BUTADIENE RUBBER +NATURAL RUBBER	21,2%	9003-55-8
CARBON BLACK	5%	1333-86-4
AROMATIC OIL	9%	64742-04-7
ZINC OXYDE	1%	1314-13-2

SECTION 2 PREPARATION OF MATERIAL SAFETY DATA SHEET

DATE PREPARED JANUARY 08, 2007

SECTION 3 MATERIAL IDENTIFICATION AND USE

PRODUCT USE FLOOR RUNNER MATTING

SECTION 4 PHYSICAL DATA OF PRODUCT

PHYSICAL STATE SOLID

ODOUR AND APPERANCE TYPICAL ODOUR OF BLACK RUBBER

SPECIFIC GRAVITY 1,50-1,60

COEFFICIENT OF WATER/OIL
DISTRIBUTION INSOLUBLE

SECTION 5 FIRE AND EXPLOSION HAZARD OF PRODUCT

CONDITIONS OF FLAMMABLE SOLID CONTACT WITH

INFLAMMABILITY	COMBUSTIBLE MATERIAL MAY CAUSE FIRE
MEANS OF EXTINCTION	USE WATER, DRY CHEMICAL, CO ² , ALCOHOL FOAM
FLASHPOINT AND METHOD OF DETERMINATION	500 DEG F, GREATER THAN DECOMPOSE
HAZARDOUS COMBUSTION PRODUCTS	OXYGEN, LEAN CONDITIONS MAY PRODUCE CARBON MONOXYDE AND IRRITATING SMOKE

SECTION 6	REACTIVITY DATA
------------------	------------------------

CHEMICAL STABILITY	STABLE
INCOMPATIBLE MATERIAL	STRONG OXYDIZING AGENTS
CONDITIONS OF REACTIVITY	WHEN HEATED, THE RUBBER POLYMERIZES
HAZARDOUS DECOMPOSITION PRODUCTS	WE FIND IN MAJOR PART SOME CARBON MONOXYDE AND DIOXYDE, DUE TO CARBON BLACK AND HYDROCARBON, AT ALL TEMPERATURES, POSSIBLE EMISSION OF SULPHUR, NITROGEN AND FORMALDEHYDE, AVOID EXCESSIVE HEAT.

SECTION 7	TOXICOLOGICAL PROPERTIES
------------------	---------------------------------

ROUTES OF ENTRY	
SKIN CONTACT	NO HAZARD IN NORMAL INDUSTRIAL USE. EXPOSURE TO HOT MATERIAL MAY CAUSE THERMAL BURNS
EYES	PARTICULATES MAY SCRATCH EYE SURFACES CAUSE MECHANICAL IRRITATION.
INHALATION	NEGLIGIBLE HAZARD AT AMBIENT TEMPERATURE
INGESTION	ATTENTION CONTAINS ALLERGEN PRODUCTS.
CHRONIC OVER EXPOSURE EFFECTS	SOME COMPONENTS ARE IRRITATING AND SENSIBLE FOR THE SKIN AND EYES.

CARBIANOGENECITY	PRESENCE DUE TO AROMATIC FRACTION OF HYDROCARBON.
REPRODUCTIVE EFFECTS	PRESENCE DUE TO AROMATIC FRACTION OF HYDROCARBON.
MUTAGENICITY	SMALL TRACES.

SECTION 8	PREVENTIVE MEASURES
------------------	----------------------------

STORAGE AND HANDLING	STORE IN A COOL, DRY LOCATION. HANDLE IN A WELL VENTILATED AREA. LOCAL EXHAUST RECOMMENDED. AVOID CONTACT WITH SKIN AND EYES, INHALATION OF DUST AND VAPORS
ENVIRONMENTAL TOXICITY DATA	ENVIRONMENTAL EFFECTS HAVE NOT BEEN DETERMINATED.
WASTE DISPOSAL METHOD	IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS. CONTACT REGIONAL ENVIRONMENTAL AGENCY.
RESPIRATORY PROTECTION	(NIOSH/MSHA) APPROVED FOR DUSTS AND ORGANIC VAPOURS.
PROTECTIVE GLOVES	IMPERVIOUS AND THERMAL GLOVES.
EYES PROTECTION	CHEMICAL SAFETY GOGGLES.
VENTILATION	LOCAL EXHAUST RECOMMENDED. WEAR RESPIRATORY PROTECTION IN THE ABSENCE OF ADEQUATE VENTILATION.

SECTION 9	FIRST AID
------------------	------------------

IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION.

WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE RE-USE. GET MEDICAL ATTENTION IF IRRITATION PERSISTS OR DERMATITIS DEVELOPS.

REMOVE TO FRESH AIR. AID OR RESTORE BREATHINGS IF NECESSARY. GET MEDICAL ATTENTION. HAVE VICTIM RINSE MOUTH OUT WITH WATER. IF CONCIIOUS GIVE TWO GLASSES OF WATER. IF VOMITING OCCURS NATURALLY, RINSE MOUTH AND REPEAT ADMINISTRATION OF WATER. GET MEDICAL ATTENTION.